

Eutectic Storage Freezer



SF 300 - BD	
STORAGE VOLUME (in litres)	300
OUTER DIMENSIONS	L-1360mm, W-700mm, H-840mm
STORAGE DIMENSIONS	L- 790mm, W-450mm, H-690mm
TEMPERATURE HOLDING TIME	-30°C to -18°C 10-12 hrs.
COOLING CAPACITY	400 W at 43°C External temp
POWER CONSUMPTION	< 4 unit/10 hr Charging
WEIGHT	150 kg

°C onsta

Active Cooling System
All the time... All the way.



SF 300 - SD	
STORAGE VOLUME (in litres)	300
OUTER DIMENSIONS	L-1360mm, W-700mm, H-840mm
STORAGE DIMENSIONS	L- 790mm, W-450mm, H-690mm
TEMPERATURE HOLDING TIME	-30°C to -18°C 10-12 hrs.
COOLING CAPACITY	400 W at 43°C External temp
POWER CONSUMPTION	< 4 unit/10 hr Charging
WEIGHT	150 kg

°Consta

Active Cooling System
All the time... All the way.



SF 400 - BD	
STORAGE VOLUME (in litres)	400
OUTER DIMENSIONS	L-1460mm, W-800mm, H-950mm
STORAGE DIMENSIONS	L- 925mm, W-550 mm, H-700mm
TEMPERATURE HOLDING TIME	-30°C to -18°C 10-12 hrs.
COOLING CAPACITY	450 W at 43°C External temp
POWER CONSUMPTION	< 4.5 unit/10 hr Charging
WEIGHT	160 kg

°C onsta

Active Cooling System
All the time... All the way.



SF 400 - SD	
STORAGE VOLUME (in litres)	400
OUTER DIMENSIONS	L-1460mm, W-800mm, H-950mm
STORAGE DIMENSIONS	L- 925mm, W-550 mm, H-700mm
TEMPERATURE HOLDING TIME	-30°C to -18°C 10-12 hrs.
COOLING CAPACITY	450 W at 43°C External temp
POWER CONSUMPTION	< 4.5 unit/10 hr Charging
WEIGHT	160 kg

**All specifications are subject to change without notice, colour shade may differ a little from what appears in the images. Terms & conditions apply. All dimensions may differ +/-1.5%